

Environmental Management Department

Recreational Health Plan Review Application

Plan Approved By:

New Construction / Major Remodel

OFFICE USE ONLY				
PE:	\$:			
Account #:				
Date Paid:				
Receipt #:				
County BID #:				

Date:

Submit this form with one complete set of plans to the Sacramento County Environmental Management Department (EMD) located at 11080 White Rock Rd, Ste 200, Rancho Cordova, CA. 95670. For electronic plan submittals, contact EMD Plan Review at (916)874-6010 or email us at EHPlanReview@SacCounty.gov to receive additional submittal instructions. All plans must be drawn to scale (min ½" per foot) and printed on at least 24" x 36" paper when applicable Note: FMD plan review application and approval will expire one year after the date submitted

SRH:	FA:	PR: _	(CT: PE:
Facility informa	tion: Facility Nar	me:		Ph #:
Ado	dress:		City:	Zip:
Owner / Plan Co	ontact: Name:			
Ado	1			Zip:
Ema				
Pool Contractor	-			
•				
Em:	ali:			Ph #:
	ew Construction – Solution – Solution – Solution – Solution		\$ 2203.0 (Includes ini	0 tial review, 3 resubmittals, 2 inspections)
	ew Construction – I vith standard wall sk	Pool or Spa immers and returns)	\$ 2639.0 (Includes ini	0 tial review, 3 resubmittals, 3 inspections)
	w Construction – I		\$ 3693.0	tial review, 3 resubmittals, 3 inspections)
└── (Pool or spa w	vith perimeter overflo	ow or floor returns)	(includes ini	tial review, 5 resubmittals, 5 inspections)
— PE 1737 – Ne	•	Pool or Spa (WF/WS)	\$ 3861.0	,
PE 1737 – Ne (Pool with inte	ew Construction – I eractive water featur ajor Remodel (Resi	Pool or Spa (WF/WS)	\$ 3861.0 (Includes initial placing \$ 1734.0)	0 tial review, 3 resubmittals, 3 inspections)
PE 1737 – Ne (Pool with inte	ew Construction – I eractive water featur ajor Remodel (Resi	Pool or Spa (wr/ws) es or waterslides) zing or replacing shell, replacing ancillary facilities)	\$ 3861.0 (Includes initial placing \$ 1734.0)	0 tial review, 3 resubmittals, 3 inspections)
PE 1737 – Ne (Pool with inte	ew Construction – I eractive water featur ajor Remodel (Resi plumbing, adding ne ORMATON (OFFICE	Pool or Spa (wr/ws) es or waterslides) zing or replacing shell, replaced ancillary facilities) use only)	\$ 3861.0 (Includes initial placing \$ 1734.0 (Includes initial place)	0 tial review, 3 resubmittals, 3 inspections)
PE 1737 – Ne (Pool with intermediate of the pool with intermediate	ew Construction – I eractive water featur ajor Remodel (Resi plumbing, adding ne ORMATON (OFFICE area (ft²):	Pool or Spa (WF/WS) es or waterslides) zing or replacing shell, re w ancillary facilities) USE ONLY) Capacity: T Model #:	\$ 3861.0 (Includes initional State of S	tial review, 3 resubmittals, 3 inspections) tial review, 3 resubmittals, 2 inspections) Turnover Rate (gpm): Quantity:
PE 1737 – Ne (Pool with intermediate intermediate) PE 1724 – Ma underground punderground punder	ew Construction – I eractive water featur ajor Remodel (Resi plumbing, adding ne ORMATON (OFFICE area (ft²):	Pool or Spa (WF/WS) es or waterslides) zing or replacing shell, replaced ancillary facilities) USE ONLY) Capacity: Model #: Filter Area (ft²):	\$ 3861.0 (Includes initional State of S	tial review, 3 resubmittals, 3 inspections) tial review, 3 resubmittals, 2 inspections) Turnover Rate (gpm): Quantity: x Flow Rate (gpm):
PE 1737 – Ne (Pool with inter PE 1724 – Ma underground per	ew Construction – I eractive water feature ajor Remodel (Resignation of the plumbing, adding ne ORMATON (OFFICE area (ft²):	Pool or Spa (WF/WS) es or waterslides) zing or replacing shell, replaced ancillary facilities) USE ONLY) Capacity: Model #: Filter Area (ft²): Model #:	\$ 3861.0 (Includes initial polacing \$ 1734.0 (Includes initial polacing otal Gallons:	tial review, 3 resubmittals, 3 inspections) tial review, 3 resubmittals, 2 inspections) Turnover Rate (gpm): Quantity: x Flow Rate (gpm): Quantity:
PE 1737 – Ne (Pool with inter PE 1724 – Ma underground EQUIPMENT INF DESIGN: Surface A FILTER: Make: Filter Med Make: H.P: H.P:	ew Construction – I eractive water feature ajor Remodel (Resiplumbing, adding ne ORMATON (OFFICE trea (ft²): Flow Rate	Pool or Spa (WF/WS) es or waterslides) zing or replacing shell, replaced ancillary facilities) USE ONLY) Capacity: Model #: Filter Area (ft²): Model #: e @ 60TDH (gpm):	\$ 3861.0 (Includes initial polacing \$ 1734.0 (Includes initial polacing State of the content of	tial review, 3 resubmittals, 3 inspections) tial review, 3 resubmittals, 2 inspections) Turnover Rate (gpm): Quantity: Quantity: Vacuum (mmHg):
PE 1737 – Ne (Pool with inter PE 1724 – Ma underground EQUIPMENT INF DESIGN: Surface A Make: Filter: RECIRC PUMP: Make: Suction I	ew Construction – I eractive water feature ajor Remodel (Resiplumbing, adding ne ORMATON (OFFICE trea (ft²): Flow Rate	Pool or Spa (WF/WS) es or waterslides) zing or replacing shell, replaced and an arrival shell and a shell are shell and a shell are shell and a shell are shell are shell and a shell are shell and a shell are shell as shell are shell as shell are shell as shell as shell are shell as shell a	\$ 3861.0 (Includes initial polacing \$ 1734.0 (Includes initial polacing State of the content of	tial review, 3 resubmittals, 3 inspections) tial review, 3 resubmittals, 2 inspections) Turnover Rate (gpm): Quantity: x Flow Rate (gpm): Quantity: Vacuum (mmHg): T Pipe Size (in):
PE 1737 – Ne (Pool with inter PE 1724 – Ma underground p EQUIPMENT INF DESIGN: Surface A FILTER: Make: Filter Med Make: H.P: Suction I JET / Make:	ew Construction – I eractive water feature ajor Remodel (Resiplumbing, adding ne ORMATON (OFFICE area (ft²): Flow Rate Pipe Size (in):	Pool or Spa (WF/WS) es or waterslides) zing or replacing shell, replaced ancillary facilities) USE ONLY) Capacity: Model #: Filter Area (ft²): Model #: e @ 60TDH (gpm):	\$ 3861.0 (Includes initial polacing \$ 1734.0 (Includes initial pol	tial review, 3 resubmittals, 3 inspections) tial review, 3 resubmittals, 2 inspections) Turnover Rate (gpm): Quantity: Quantity: Vacuum (mmHg):
PE 1737 – Ne (Pool with inter PE 1724 – Ma underground EQUIPMENT INF DESIGN: Surface A FILTER: Make: Filter Med RECIRC PUMP: Make: Suction I JET / Make: H.P: Suction I Make: H.P: H.P: H.P: H.P: HARDE H.P:	ew Construction – I eractive water feature ajor Remodel (Resiplumbing, adding ne ORMATON (OFFICE area (ft²): Flow Rate Pipe Size (in):	Pool or Spa (WF/WS) es or waterslides) zing or replacing shell, replaced ancillary facilities) USE ONLY) Capacity: Model #:	\$ 3861.0 (Includes initial polacing \$ 1734.0 (Includes initial pol	tial review, 3 resubmittals, 3 inspections) tial review, 3 resubmittals, 2 inspections) Turnover Rate (gpm): Quantity: Quantity: Vacuum (mmHg): Quantity: Vacuum (mmHg): Vacuum (mmHg):
PE 1737 – Ne (Pool with inter PE 1724 – Ma underground p EQUIPMENT INF DESIGN: Surface A FILTER: Make: Filter Med RECIRC PUMP: Suction I JET / FEATURE PUMP: Suction	ew Construction – I eractive water feature ajor Remodel (Resizuation ajor Remodel (Resizuation adding ne ORMATON (OFFICE Area (ft²): Flow Rate Fl	Pool or Spa (WF/WS) es or waterslides) zing or replacing shell, replaced ancillary facilities) USE ONLY) Capacity: Model #:	\$ 3861.0 (Includes initial collacting \$ 1734.0 (Includes initial colla	tial review, 3 resubmittals, 3 inspections) tial review, 3 resubmittals, 2 inspections) Turnover Rate (gpm): Quantity: Quantity: Vacuum (mmHg): Quantity: Vacuum (mmHg): Vacuum (mmHg):
PE 1737 – Ne (Pool with inter PE 1724 – Ma underground EQUIPMENT INF DESIGN: Surface A Make: _ Filter Med RECIRC PUMP: Make: H.P: _ Suction JET / FEATURE H.P: _ PUMP: Suction FLOW METER: Ma	ew Construction – I eractive water feature ajor Remodel (Resize plumbing, adding new ORMATON (OFFICE Area (ft²): Flow Rate Pipe Size (in):	Pool or Spa (WF/WS) es or waterslides) zing or replacing shell, regarder ancillary facilities) USE ONLY) Capacity: Model #: Model #: Model #: Model #: Model #: Model #: Return Pipe Size Model #: Return Pipe Size	\$ 3861.0 (Includes initial collacting \$ 1734.0 (Includes initial colla	tial review, 3 resubmittals, 3 inspections) tial review, 3 resubmittals, 2 inspections) Turnover Rate (gpm): Quantity: Vacuum (mmHg): T Pipe Size (in): Vacuum (mmHg): T Pipe Size (in): T Pipe Size (in):
PE 1737 – Ne (Pool with inter PE 1724 – Ma underground p EQUIPMENT INF DESIGN: Surface A FILTER: Make: Filter Med RECIRC PUMP: Suction I JET / FEATURE PUMP: Suction FLOW METER: Ma CHEMICAL CONTRO	ew Construction – I eractive water feature ajor Remodel (Resizuation plumbing, adding ne ORMATON (OFFICE area (ft²): Flow Rate Pipe Size (in): Flow Rate Pipe Size (in): LLER: Make:	Pool or Spa (WF/WS) es or waterslides) zing or replacing shell, regarder ancillary facilities) USE ONLY) Capacity: Model #: Model #: Model #: Model #: Model #: Model #: Return Pipe Size Model #: Return Pipe Size	\$ 3861.0 (Includes initial polacing \$ 1734.0 (Includes initial pol	tial review, 3 resubmittals, 3 inspections) tial review, 3 resubmittals, 2 inspections) Turnover Rate (gpm): Quantity: Vacuum (mmHg): T Pipe Size (in): Vacuum (mmHg): T Pipe Size (in): T Pipe Size (in):
PE 1737 – Ne (Pool with inter PE 1724 – Ma underground p EQUIPMENT INF DESIGN: Surface A FILTER: Make: Filter Med CHEMICAL FEEDER: Main Dr	ew Construction – I eractive water feature ajor Remodel (Resize plumbing, adding new CORMATON (OFFICE Area (ft²): Flow Rate Pipe Size (in):	Pool or Spa (WF/WS) es or waterslides) zing or replacing shell, regarder ancillary facilities) USE ONLY) Capacity: Model #:	\$ 3861.0 (Includes initial collacting \$ 1734.0 (Includes initial colla	tial review, 3 resubmittals, 3 inspections) tial review, 3 resubmittals, 2 inspections) Turnover Rate (gpm): Quantity: Vacuum (mmHg): T Pipe Size (in): Vacuum (mmHg): T Pipe Size (in): Size (in):
PE 1737 – Ne (Pool with inter PE 1724 – Ma underground EQUIPMENT INF DESIGN: Surface A Make: _ Filter Med RECIRC PUMP: Suction JET / FEATURE H.P: _ PUMP: Suction FLOW METER: Ma CHEMICAL FEEDER:	ew Construction – I eractive water feature ajor Remodel (Resiplumbing, adding new CORMATON (OFFICE water (ft²): Flow Rate Pipe Size (in):	Pool or Spa (WF/WS) es or waterslides) zing or replacing shell, replaced ancillary facilities) USE ONLY) Capacity: Model #: Filter Area (ft²): Model #: @ 60TDH (gpm): Return Pipe Size Model #: @ 40TDH (gpm): Return Pipe Size Model #: Model #:	\$ 3861.0 (Includes initial polacing \$ 1734.0 (Includes initial pol	tial review, 3 resubmittals, 3 inspections) tial review, 3 resubmittals, 2 inspections) Turnover Rate (gpm): Quantity: Vacuum (mmHg): T Pipe Size (in): Vacuum (mmHg): T Pipe Size (in): Size (in):

Continued

Introduction

Plans accepted by the Environmental Health Plan Check Section are required to include certain pertinent information. If this information is not provided, the plan check review cannot be completed.

Checklist for recreational health submittals

The following is a checklist of information needed at plan check submittal. Check ()box if information has been provided,

INFORMATION	CHECK
Three (3) identical set of plans.	
NOTE: If plans are submitted concurrently with the County	
Building Inspection only one (1) set is required	
Site Plan	
Title Sheet:	
□ Name of facility	
Address of facility	
Owner or contractors name	
Owner or contractors address	
Contact phone number	
Scale	
Pool (1/4" = 1 foot)	
Spa or wading pool (1" = 1 foot)	
Deck Plan	
Showing slope to drain	
Fence, Gates and Landscape Plans	
Include elevations	
 No climbable structures or trees within 5 feet of the 	
outside of pool enclosure.	
Pool/Spa/Wading Pool layout	
Overhead view showing dimensions	
Sectional view showing slope	
Calculations	
Total gallons	
Turnover rate	
Permanent markings	
Depth markers	
Break line on pools over 5 feet deep	
☐ Bench/step edge at spas	
Stair or ladder detail showing handrails, treads & risers	
Shell information	
Material	
Finish	
Color	
Equipment pad layout	
Make and Model number	
Make and model number of all related equipment (i.e.	
pump, filter, chlorinator, flowmeter, skimmer, etc)	

Checklist for recreational health submittals continued

INFORMATION	Check
Plumbing plan	
Line diagram showing return & suction lines	
Skimmer locations	
Return inlet locations	
Fill line location when required	
Hose bibb locations	
Backwash for filters	
Separtation tank (DE)	
Sump to sanitary sewer (Sand)	
Curbed area sloped to drain to sanitary sewer with hose	
bibb connection (Cartridge)	
Electrical plan	
Deck lighting	
Underwater lighting	
Emergency shut-off switch, when required	
Safety signs	
Safety equipment	
Ancillary facilities	
For pools located more than 300 feet from any living units.	
Restrooms	
Showers	
☐ Drinking fountain	