

ADDENDUM - MULTIPLE WELL DESTRUCTIONS

ENVIRONMENTAL MANAGEMENT DEPARTMENT (EMD) – ENVIRONMENTAL COMPLIANCE DIVISION 11080 WHITE ROCK ROAD • SUITE 200 • RANCHO CORDOVA, CA 95670 TELEPHONE (916) 875-8400 FAX: (916) 875-8513 EMAIL: wells@saccounty.net

WELL INSPECTION LINE: (916) 875-8524

						MW ID#:					
WELL ID (Include a copy of the original Well Completion Report) Permit Number: Date:											
Well Type	<u>.</u>										
Domestic/		Irrigation/	Permanent	Cathodic		□ Water/Soil/Vapor	Geothermal				
Munici		Agricultural				Monitoring		Heat Exchange			
(4930)		(4930)	(494D)	(494D)	(494D)		(494D)				
Reason(s) for Destruction:											
Dry Contaminated No Longer Needed/Used/ Abandoned Other:											
Measurem	<u>ients:</u>										
Depths	Total B	orehole: ft	Annular: ft	Production Casing: _	ft	Conductor Casing: _	ft	To Water: ft			
	Borehole Diameter:		Casing Diameter:	Open Bottom Interval: From:ft to:ft		Filter Pack Interval: From:ft to:ft		Pump Type:			
Other	in		in								
□ Overdrill from: ft BGS to existing grade (BGS = Below Ground Surface) □ Pressure Grout from ft BGS to ft BGS											
Blast Perforation Detonation Cord from:ft BGS to:ft BGS Explosive Boosters from:ft BGS to:ft BGS											
Booster placement every: ft Dechanical Perforation: cuts/ft, from: ft BGS to: ft BGS											
Additional information (i.e Method used to ID casing depth, Obstructions, etc.):											
Sealing Material: Neat Cement Sand Cement (10.3 Sacks/cu. yd.) Concrete (6 Sack Mix) Bentonite Chips/Pellets											
Estimated	Void Vo	olume:									

			MW ID#:							
WELL ID (Include a copy of the original Well Completi			ion Report) Permit Number:			Date:				
Well Type:	<u>.</u>									
Domestic/		Irrigation/	Permanent	🗆 🗆 Cathodic		□ Water/Soil/Vapor		Geothermal		
Municipal		Agricultural	Dewatering	,		Monitoring		Heat Exchange		
(4930)		(4930)	(494D) (494D)		D)	(494D)		(494D)		
Reason(s)										
Dry Contaminated No Longer Needed/Used/ Abandoned Other:										
Measurem	ents:									
Depths	Total Bo	orehole: ft	Annular: ft	Production Casing: ft		Conductor Casing: ft		To Water: ft		
Other	Borehole Diameter:		Casing Diameter: Open Bot		nterval:	Filter Pack Interval:				
	in		in	• ·		From:ft to:	ft	Pump Type:		
Overdrill f	rom:	ft BGS to exis	sting grade (BGS = E	elow Ground Su	urface) 🛛 Pre	essure Grout from	ft B	GS to ft BG		
Blast Perforation Detonation Cord from:ft BGS to:ft BGS Explosive Boosters from:ft BGS to:						GS to: ft BG				
□ Booster p	lacement	every:ft	□ Mec	hanical Perforat	ion:	_ cuts/ft, from:	ft B0	GS to: ft BG		
Additional ir	nformatio	n (i.e Method use	d to ID casing depth,	Obstructions, e	tc.):					
Sealing Ma	aterial:	Neat Cement	Sand Cement	(10.3 Sacks/cu.	yd.) 🗆 C	oncrete (6 Sack Mix)	Bento	onite Chips/Pellets		
Estimated			- ·				-			

W:\Data\FORMSARCHIVE\WP\WELLS\PERMIT APPLICATIONS - 2020\NEW ADDRESS\07A DESTRUCTION MULTIPLE WELLS APPLICATION ADDENDUM\07A ADDENDUM - MULTIPLE WELL DESTRUCTIONS 12.24.19.docx