County of Sacramento ● Environmental Management Department ● Environmental Compliance Division

11080 White Rock Road • Suite 200 • Rancho Cordova, CA 95670 • Voice (8am – 5pm): 916/875-8550 • FAX: 916/875-8513 • http://emd.saccounty.gov

RCRA Large Quantity Generators Checklist Summary of Violations

HAZARDOUS WASTE This is an inspection element checklist of common types of violations of Federal, State, or local laws and regulations. For specific details about your inspection, refer to your Official Inspection Report.

SCC = Sacramento County Code / CCR = California Code of Regulations

HSC = California Health and Safety Code / CFR = Code of Federal Regulations

Checklist items apply to Large Quantity Generators (LQG) of Federal Resource Conservation and Recovery Act (RCRA) Hazardous Waste.

VIOLATION CODE	AUTHORITY	DESCRIPTION
Recordkee	ping / Documentation	
	Authorization	
3115	SCC 6.98.030	Generator has an active hazardous waste generator permit.
3110001	22 CCR 12 66262.18	Failure to obtain an Identification Number prior to treating, storing, disposing of, transporting or offering for transportation any hazardous waste.
3110020	HSC 6.11 25404(e)(4)	Failure to report program data electronically.
3110	HSC 6.5 25110.10(d)	Remote Waste Consolidation Site Annual Notification submitted.
	Contingency Plan	
3130018	22 CCR 12 66262.17(a)(6), 66262.260, 66262.265	Failure to prepare and implement a written Contingency Plan to minimize hazards to human health or the environment from fires, explosions, or any unplanned sudden or non-sudden release of hazardous waste or hazardous waste constituents to air, soil, or surface water.
3110012	22 CCR 12 66262.17(a)(2), 66262.262	Failure to maintain a copy of the contingency plan and all its revisions at the facility and to submit a copy to all local police departments, fire departments, hospitals, and State and local emergency response teams that may be called upon to provide emergency services.
3110011	22 CCR 12 66262.17(a)(2), 66262.261, 66262.263	Failure to include all of the following in the Contingency Plan: description of actions personnel will take in response to a release or emergency, arrangements with local authorities, list of emergency coordinators including name, addresses & phone numbers, list of emergency equipment and their physical description, location and capabilities, evacuation plan, and OES phone number. (If the owner or operator has already prepared a Spill Prevention, Control, and Countermeasures (SPCC) Plan or some other emergency or contingency plan, the owner or operator need only amend that plan to incorporate hazardous waste management provisions.)
3140	22 CCR 15 66265.56(j)	Submitted a contingency plan activation report to DTSC
	Training	
3120001	22 CCR 12 66262.17(a)(7)	Failure to provide employees with hazardous waste training program of class room instructions or on-the-job training within the first six months after the date of their employment or assignment to a facility, or to a new position at a facility and annually thereafter. Training records on current personnel shall be kept until closure of the facility and for former employees the record shall be kept for at least three years from the date the employee last worked at the facility. The records shall include the following: the job title for each position at the facility related to hazardous waste management, and the name of the employee filling each job; a written job description for each position, duties of facility personnel assigned to each position, and a written description of the type and amount of both introductory and continuing training that will be given to each person filling a position.
	Manifests	
3110002	22 CCR 12 66262.20	Failure to prepare a Uniform Hazardous Waste Manifest and, if necessary, a Continuation Sheet, before the transport of a hazardous waste off-site for transfer, treatment, storage, or disposal.
3110003	22 CCR 12 66262.23(a)	Failure to properly complete the Uniform Hazardous Waste Manifest.
3110004	22 CCR 12 66262.42	Failure to complete the Uniform Hazardous Waste Manifest exception requirements.

		Failure to keep a copy of each properly signed manifest for at least three years from the date the waste was accepted by the initial transporter. The manifest signed at the time the waste was accepted for							
3110005	22 CCR 12 66262.40(a)	transport shall be kept until receiving a signed copy from the designated facility which received the waste.							
3110006	22 CCR 12 66262.23(a)(4); HSC 6.5 25160(b)(1)(C)	Failure to send a legible copy of each hazardous waste manifest that originated in paper form to the Department within 30 days of each shipment of hazardous waste.							
3110017	HSC 6.5 25160.2	Failure of a generator of hazardous waste that meets the conditions to be transported on a consolidated manifest to comply with one or more of the required consolidated manifesting procedures and retain copies of receipts for three years.							
	Waste Determination								
3130001	22 CCR 12 66262.11	Failure to determine if the waste generated is a hazardous waste.							
3130028	22 CCR 12 66262.40(c)	Failure to keep records of any test results, waste analyses, or other determinations made in accordance with section 66262.11 for at least three years from the date that the waste was last sent to on-site or off-site treatment, storage, or disposal.							
3130002	22 CCR 12 66262.17(a)(9); 22 CCR 18 66268.7(a)	Failure to determine whether waste is restricted from land disposal.							
3130034	HSC 6.5 25144.6 (b)	Failure to properly manage reusable soiled textile materials prior to being sent for laundering.							
3130035	HSC 6.5 25200.3.1(b)	Failure of the owner or operator managing laboratory hazardous waste in a laboratory accumulation area to comply with the quantity limitations, management, training, or documentation requirements.							
3130036	HSC 6.5 25200.3.1(c)	Failure to treat laboratory hazardous waste according to all of the following requirements: 1) treated in containers and follow published procedures, 2) at a location as close as practical, and within 10 days, 3) single batch quantity limit to be 5 gallons or 18 kilograms, whichever is greater, 4) waste from a single procedure or from the same laboratory process, 5) performed by trained personnel, 6) training records are maintained for 3 years, 7) waste and residuals are managed according to applicable requirements, and 8) records are made available for inspection.							
	Reporting								
3110008	22 CCR 31 67100.7, 67100.8	Failure of a generator to conduct, when required, a source reduction evaluation review and plan every four years, and/or failure of the review and plan to contain all required information.							
3110009	22 CCR 31 67100.9	Failure of a large quantity generator to prepare a summary progress report every four years, using DTSC's Form # 1262 (3/99) titled "Summary Progress Report".							
3110010	22 CCR 31 67100.3, 67100.4, 67100.5; HSC 6.5 25244.19, 25244.21	Failure to adequately complete, and maintain for review, all requirements of the source reduction evaluation review and plan (SB-14).							
3110007	22 CCR 12 66262.40(b); 66262.41	Failure of a large quantity RCRA generator to prepare the Biennial report (Form 8700), and submit to DTSC by March 1st on even numbered years; and maintain it onsite for three years.							
3110022	HSC 6.5 25110.10(d)	Failure to annually submit notification of generator's intent to remotely consolidate hazardous waste.							
Hazardous	s Waste Management								
	Accumulation time limits								
3130004	22 CCR 12 66262.17(a), 66262.17(e); HSC 6.5 25123.3(b)(1)	Failure to send hazardous waste offsite for treatment, storage, or disposal within 90 days for a generator who generates 1000 kilograms or more of RCRA hazardous waste or one kilogram of acute hazardous waste per month.							
	Certified Appliance Recycle	er							
3110024	HSC 6.5 25211.4	Failure to obtain Certified Appliance Recycler certification (CAR) from DTSC.							
3130033	HSC 6.5 25212	Failure of certified appliance recycler (CAR) to properly remove and dispose of all materials that require special handling (MRSH).							
3110025	HSC 6.5 25211.2, 25211.3	Failure of certified appliance recycler (CAR) to provide documentation that all materials that require special handling (MRSH) have been properly removed and managed.							
	Container Management								
	Container Management								
3130003	22 CCR 12 66262.17(a)(5)(A)	Failure to properly label hazardous waste accumulation containers with the following requirements: "Hazardous Waste", name and address of the generator, physical and chemical characteristics of the Hazardous Waste, and starting accumulation date.							

3130005	22 CCR 12 66262.17(a)(1)(B), 66262.15(a)(1)	Failure to accumulate hazardous waste in a container that is in good condition.
3130006	22 CCR 12 66262.17(a)(1)(C), 66262.15(a)(2)	Failure to accumulate or store hazardous waste in a container made of or lined with materials which will not react with, and are otherwise compatible with, the hazardous waste to be stored, so that the ability of the container to contain the waste is not impaired.
3130008	22 CCR 12 66262.17(a)(1)(E)	Failure to inspect weekly areas where hazardous waste containers are stored. The owner or operator must look for leaking containers and for deterioration of containers caused by corrosion or other factors.
3130007	22 CCR 12 66262.17(a)(1)(D), 66262.15(a)(4)	Failure to meet the following container management requirements:(a) A container holding hazardous waste must always be closed during storage, except when it is necessary to add or remove waste. (b) A container holding hazardous waste must not be opened, handled, or stored in a manner which may rupture the container or cause it to leak.
3130009	22 CCR 12 66262.17(a)(1)(F)1	Failure to keep reactive and ignitable waste at least 15 meters (50 feet) from the facility's property line.
3130010	22 CCR 12 66262.17(a)(1)(G)	Failure to separate incompatible wastes from the same container, nearby containers, or unwashed containers which previously contained incompatible waste or materials.
3130024	22 CCR 11 66261.7	Failure to manage empty containers greater than 5 gallons in capacity that previously held a hazardous material/waste including but not limited to the following: (1) By reclaiming its scrap value onsite or shipping the container or inner liner to a person who reclaims its scrap value; or (2) By reconditioning or remanufacturing the container or inner liner onsite for subsequent reuse, or shipping the container or inner liner to a person who reconditions or remanufactures the container or inner liner; or (3) By shipping the container or inner liner to a supplier or to another intermediate collection location for accumulation prior to managing the container or inner liner pursuant to subsections (e)(2) or (e)(3) of 22 CCR 11 66261.7; or (4) By shipping the container or inner liner back to the supplier for the purpose of being refilled; and, (5) A container or an inner liner removed from a container shall be marked with the date it has been emptied and shall be managed within one year of being emptied.
3130025	22 CCR 12 66262.17(a)(1)(A)	Failure to comply with air emission requirements as specified in articles 27, 28, and 28.5 of chapter 15.
	Satellite Accumulation	
3130023	Satellite Accumulation 22 CCR 12 66262.15(a)	Failure to meet the following conditions of satellite accumulation regulations: • Accumulate up to 55 gallons of hazardous waste or one quart of acute hazardous waste at or near the initial point of accumulation which was under the control of the operator. • Total time hazardous waste can be accumulated onsite in any generator accumulation area is either one year from the initial date of accumulation, or, 90 days from the date of which the quantity limit of 55 gallons of hazardous waste or one quart of acutely hazardous waste is reached, whichever comes first. • The generator complies with sections 66265.171, 66264.172, and 66265.173(a). • The container must be clearly marked with the initial date that hazardous waste is first placed in the container and labelled with the words "Hazardous Waste" including specified information. • Container must be labelled with the date the satellite accumulation limit is reached and moved within three days after reaching the 55 gallon (or one quart) limit to a central accumulation area. • 55 gallons (or one quart of acute hazardous waste) of waste per process may be accumulated.
3130023		 Accumulate up to 55 gallons of hazardous waste or one quart of acute hazardous waste at or near the initial point of accumulation which was under the control of the operator. Total time hazardous waste can be accumulated onsite in any generator accumulation area is either one year from the initial date of accumulation, or, 90 days from the date of which the quantity limit of 55 gallons of hazardous waste or one quart of acutely hazardous waste is reached, whichever comes first. The generator complies with sections 66265.171, 66264.172, and 66265.173(a). The container must be clearly marked with the initial date that hazardous waste is first placed in the container and labelled with the words "Hazardous Waste" including specified information. Container must be labelled with the date the satellite accumulation limit is reached and moved within three days after reaching the 55 gallon (or one quart) limit to a central accumulation area.
3130023	22 CCR 12 66262.15(a)	 Accumulate up to 55 gallons of hazardous waste or one quart of acute hazardous waste at or near the initial point of accumulation which was under the control of the operator. Total time hazardous waste can be accumulated onsite in any generator accumulation area is either one year from the initial date of accumulation, or, 90 days from the date of which the quantity limit of 55 gallons of hazardous waste or one quart of acutely hazardous waste is reached, whichever comes first. The generator complies with sections 66265.171, 66264.172, and 66265.173(a). The container must be clearly marked with the initial date that hazardous waste is first placed in the container and labelled with the words "Hazardous Waste" including specified information. Container must be labelled with the date the satellite accumulation limit is reached and moved within three days after reaching the 55 gallon (or one quart) limit to a central accumulation area.

3110014	22 CCR 12 66262.17(a)(2); 22 CCR 15 66265.192(k)	Failure to include all required information in the new tank system assessment.
3110023	22 CCR 12 66262.17(a)(2); 22 CCR 15 66265.192(h)	Failure of generator to obtain assessment or reassessment every five (5) years or the remaining service life of the tank system, as stated in the engineer's assessment, whichever is less. This assessment applies to onground or aboveground tank systems containing only non-RCRA hazardous wastes generated onsite, or for a small quantity generator onground or aboveground tank systems containing RCRA hazardous wastes generated onsite.
3110015	22 CCR 12 66262.17(a)(2); 22 CCR 15 66265.192(m)	Failure to obtain CUPA approval prior to the replacement of identical or functionally equivalent tank. The notification to the CUPA of replacement shall include the following: (1) Name, address, and EPA identification number of the facility; (2) Date of planned replacement; (3) Description part or component to be replaced; (4) Description of the tank system and type of waste(s) handled; (5) Description of how the part or component is identical or functionally equivalent to the part or component to be replaced.
3130012	22 CCR 12 66262.17(a)(2); 22 CCR 15 66265.195(a), 66265.195(c)	Failure to conduct and document inspections of hazardous waste tank systems each operating day and retain records of those inspections at the facility.
3130019	22 CCR 12 66262.17(a)(2); 22 CCR 15 66265.193	Failure to meet required secondary containment requirements for hazardous waste tank systems or components.
3150002	22 CCR 12 66262.17(a)(8)(A), 66262.17(a)(8)(C)	Failure of owner or operator to properly close a hazardous waste tank system ensuring the minimization of further maintenance and that the required requirements have been met.
3140001	22 CCR 12 66262.17(a)(2); 22 CCR 15 66265.196	Failure to immediately remove from service a tank system or secondary containment system from which there has been a leak, spill, is unfit for use and comply with applicable requirements.
3130020	22 CCR 12 66262.17(a)(2); 22 CCR 15 66265.195(b), 66265.195(c)	Failure of the owner or operator to inspect and document the cathodic protection systems to ensure the proper operation within six months after initial installation, and annually thereafter; and all sources of impressed current at least bimonthly (i.e., every other month).
3130022	22 CCR 12 66262.17(a)(5)(B)	Failure to label stationary hazardous waste tanks as "hazardous waste" and mark with an accumulation start date.
3130026	22 CCR 12 66262.17(a)(2); 22 CCR 15 66265.202	Failure to comply with air emission requirements as specified in articles 27, 28, and 28.5 of chapter 15.
	Recyclable Materials	
3110021	HSC 6.5 25143.10	Failure of any person who recycles more than 100 kilograms per month of recyclable material under a claim that the material qualifies for exclusion or exemption, to submit recyclable materials report every two years.
3150004	HSC 6.5 25143.2, 25143.9	Failure to properly manage a recyclable material.
	Used Oil	
3150005	HSC 6.5 25250.7(a)	Failure to prevent intentional contamination of used oil with other hazardous waste other than minimal amounts of vehicle fuel.
3110018	HSC 6.5 25250.19(c), 25250.18(a), 25250.1(c)	Failure to record in an operating log and retain for three years the following information for each shipment of recycled or exempted oil: 1) The name and address of the used oil recycling facility or generator claiming the oil meets the requirements of HSC 6.5 25250.1. 2) The name and address of the facility receiving the shipment. 3) The quantity of oil delivered. 4) The date of shipment or delivery. 5) A cross-reference to the records and documentation required under HSC 6.5 25250.1.
	Used Oil and Fuel Filters	
3130029	22 CCR 16 66266.130; HSC 6.5 25250.22	Failure to properly manage used oil filters and/or fuel filters in accordance with the requirements.
	Lead Acid Batteries	
3130	22 CCR 16 66266.81(a)	Generator of more than ten spent lead-acid batteries in a year meets all requirements
3130031	22 CCR 16 66266.81(a)(3)	Failure of facilities that accept spent lead acid batteries in exchange or partial exchange for operable lead-acid storage batteries to comply with storage requirements by violating one of the following: 1) Storing more than one ton of spent batteries at any one location for more than 180 days. 2) Storing one ton or less of spent batteries at any one location for more than one year, or 3) Removing the electrolyte.

-		
3130030	22 CCR 16 66266.81(a)(1)	Failure to meet the spent lead acid battery management requirements, when handling, storing, or transporting more than 10 lead acid batteries at any one time.
3130032	22 CCR 16 66266.81(b)	Failure to properly manage, store, and label a damaged lead acid battery in a nonreactive, structurally secure, closed container, and/or failure to label damaged lead acid battery with the date that the first battery in the container was placed there with ink, paint or other weather-resistant material so as to minimize the release of acid and lead and to protect the environment.
3110019	22 CCR 16 66266.81(a)(4)(B)	Failure to retain for at least three years a legible copy of each manifest or bill of lading which identifies spent lead-acid storage batteries shipped to a person who stores the batteries or who uses, reuses, recycles or reclaims the batteries or their components.
	Disposal	
3150001	HSC 6.5 25163(a)	Failure to use a DTSC registered hazardous waste transporter to transport hazardous waste or transporting hazardous waste without being a DTSC registered hazardous waste transporter.
3140002	HSC 6.5 25187.6	No person shall remove, transfer, or dispose of the hazardous waste until permission for removal, transfer, or disposal is given by an authorized agent.
3150003	HSC 6.5 25189.5(a)	Failure to dispose of hazardous waste at a facility which has a permit from DTSC or disposing of hazardous waste at any point which is not authorized.
3150007	HSC 6.5 25201(a)	Failure to obtain a hazardous waste facilities permit, or other grant of authorization, prior to accepting, treating, storing, or disposing of a hazardous waste at the facility, area, or site.
General Fa	cility Operations	
	Site Safety	
3130013	22 CCR 12 66262.17(a)(6), 66262.251	Failure to maintain and operate the facility to minimize the possibility of a fire, explosion, or any unplanned sudden or non-sudden release of hazardous waste or hazardous waste constituents to air, soil, or surface water which could threaten human health or the environment.
3130014	22 CCR 12 66262.17(a)(6), 66262.252	Failure to equip the facility with required emergency equipment, unless none of the hazards posed by waste handled at the facility could require the particular kind of required equipment.
3130015	22 CCR 12 66262.17(a)(6), 66262.253	Failure of the facility to test and maintain as necessary all facility communications or alarm systems, fire protection equipment, spill control equipment, and decontamination equipment to assure its proper operation in time of emergency.
3130016	22 CCR 12 66262.255	Failure to maintain aisle space to allow the unobstructed movement of personnel, fire protection equipment, spill control equipment, and decontamination equipment to any area of facility operation in an emergency, unless aisle space is not needed for any of these purposes.
3130	22 CCR 15 66265.17(a)	Takes precautions to prevent accidental ignition or reaction of a hazardous waste
3130	22 CCR 15 66265.14	Entry into active portions of the facility controlled and required signage posted
3130037	22 CCR 12 66262.17(a)(6), 66262.264	Failure to have at least one employee either on the facility premises or on call (i.e., available to respond to an emergency by reaching the facility within a short period of time) with the responsibility for coordinating all emergency response measures.
3130027	22 CCR 12 66262.17(a)(3); 22 CCR 15 66265.440 - 66265.445	Failure to comply with Drip Pad requirements, including but not limited to design and operating requirements, annual assessment, contingency plan, inspections, and closure requirements.
Universal V	Waste	
	>5000 Kg	
3110	22 CCR 23 66273.32(b)	UWH who accumulates 5,000 kg or more of non-RCRA UW obtained an EPA ID number from DTSC
3110	22 001(20 0021 0.02(0)	
3110026	22 CCR 23 66273.32(a)	Failure of a universal waste handler to send written notification of universal waste management to the USEPA Regional Administrator and obtain a federal ID Number prior to accumulating 5,000 kilograms or more of RCRA universal waste.
	DTSC notification for Elect	ronic Devices, CRT's and CRT glass
3110027	22 CCR 23 66273.32(c) <u>.</u> 66273.32(e)	Failure of a universal waste handler of PV modules, electronic devices, CRTs, and/or CRT glass who might accept and accumulate, but not treat, any PV module, electronic device, CRT, and/or CRT glass from an offsite source to submit notification with all required information to DTSC no later than 30 calendar days prior to accepting any above noted waste.
3110028	22 CCR 23 66273.32(d)(1), 66273.32(d)(2), 66273.32(f)(1), 66273.32(f)(2)	Failure of a universal waste handler who either: 1) accepts more than 100 kilograms (or 220 pounds) of PV modules or electronic devices, CRTs, and CRT glass calculated collectively, from any offsite sources in a calendar year, or 2) generates 5,000 kilograms (or 11,000 pounds; e.g., about 200 CRTs) or more of PV modules or electronic devices, CRTs, and CRT glass calculated collectively, in a calendar year, to submit to DTSC by February 1 of every year a an annual report that includes all required information.

	Training	
3120002	22 CCR 23 66273.36	Failure of universal waste handler to provide initial and/or annual refresher training for employees who manage or handle universal waste and to maintain a written record for three years of personnel who took the initial or annual training.
	UW Management	
3130038	22 CCR 23 66273.34	Failure to label or mark each individual or container or the designated area of universal waste with the following: 1. Waste batteries shall be marked with "Universal Waste-Battery(ies)". 2. Mercury containing equipment shall be marked with "Universal Waste -Mercury-Containing Equipment". 3. Lamps shall be marked with "Universal Waste-Lamp(s)". 4. Electronic devices or the container or pallet where the devices are stored shall be marked with "Universal Waste-Electronic Device(s)". 5. CRTs or the container or pallet where CRTs are stored shall be marked with "Universal Waste-CRT(s)". 6. Container for CRT glass shall be marked with "Universal Waste-CRT glass". 7. PV modules shall be marked with "Universal Waste-PV Module(s)".
3130039	22 CCR 23 66273.35	Failure to accumulate universal waste for one year or less and to demonstrate the length of time that the universal waste has been accumulated from the date it became a waste or was received.
3130	22 CCR 23 66273.2(a), 66273.33(a)	UWH properly manages batteries destined for reclamation or recycling
3130	22 CCR 23 66273.4, 66273.33(c)	UWH properly manages mercury containing-equipment which is destined for reclamation/recycling
3130	22 CCR 23 66273.5, 66273.33(b)	UWH properly manages lamps which are destined for reclamation/recycling
3110030	HSC 6.5 25201.16(j)	Failure to notify the CUPA of aerosol can processing procedures prior to commencement of operations.
3130040	HSC 6.5 25201.16(f)	Failure to comply with the applicable requirements related to accumulation and containment standards for universal waste aerosol cans.
3130041	HSC 6.5 25201.16(e)	Failure of the universal waste handler to manage universal waste aerosol cans in a manner that prevents fire, explosion, and the unauthorized release of any universal waste or component of a universal waste to the environment.
3140003	22 CCR 23 66273.33, 66273.33.5, 66273.33.6, 66273.37	Failure of the universal waste handler of PV modules, electronic devices, CRTs, and CRT glass to prevent the release of the universal waste to the environment under reasonable conditions by the following methods: 1) Immediately clean spills and leaks of universal wastes; and 2) Place all universal waste spills and leaks in containers that are structurally sound and compatible with the universal waste.
	Shipments and Tracking	
3130042	22 CCR 23 66273.38; 49 CFR 1 172	Failure of the universal waste handler to transfer universal waste to another universal waste handler, or appropriate destination facility. Failure to package, label, mark and placard shipments and prepare shipping papers for any universal waste that meets the hazardous materials definition in accordance with DOT 49 CFR parts 171-180.
3110	22 CCR 23 66273.39	UWH maintained shipment records
3150006	22 CCR 23 66273.31(a), 66273.8(b)	Failure of the universal waste handler to prevent improper disposal of universal waste, or to transfer universal waste to the appropriate destination facility.
	Exports	
3110029	22 CCR 23 66273.40(a)(3), 66273.40(a)(2), 66273.40(a)(4)	Failure of the universal waste handler who sends electronic devices, CRTs, and/or CRT glass to any foreign destination to comply with the following: (1) Notify the Department 60 days prior to the intended export before any electronic devices, CRTs, and/or CRT glass are scheduled to leave the United States and cover all export activities extending over the next twelve (12) month or lesser period; (2) Concurrently send a copy of the notification required pursuant to subsection 66273.40(a)(2)(B) of 22 CCR to the CUPA having jurisdiction over the universal waste handler's facility; (3) sign the export notification; and (4) include all required information in the export notification.

	General							
3110	22 CCR Multiple Multiple; HSC 6.5 Multiple	RCRA Large Quantity Generator - Administration/Documentation - General						
3115	Sac County Multiple	RCRA Large Quantity Generator - Administration/Documentation - General Local Ordinance						
3120	22 CCR Multiple Multiple; HSC 6.5 Multiple	RCRA Large Quantity Generator - Training - General						
3125	Sac County Multiple	RCRA Large Quantity Generator - Training - General Local Ordinance						
3130	22 CCR Multiple Multiple; HSC 6.5 Multiple	RCRA Large Quantity Generator - Operations/Maintenance - General						
3135	Sac County Multiple	RCRA Large Quantity Generator - Operations/Maintenance - General Local Ordinance						
3140	22 CCR Multiple Multiple; HSC 6.5 Multiple	RCRA Large Quantity Generator - Release/Leaks/Spills - General						
3145	Sac County Multiple	RCRA Large Quantity Generator - Release/Leaks/Spills - General Local Ordinance						
3150	22 CCR Multiple Multiple; HSC 6.5 Multiple	RCRA Large Quantity Generator - Abandonment/Illegal Disposal/Unauthorized Treatment - General						
3155	Sac County Multiple	RCRA Large Quantity Generator - Abandonment/Illegal Disposal/Unauthorized Treatment - General Local Ordinance						

07/02/2024 RVF W:\Data\FORMSARCHIVE\CUPA Current - HS GovTech Checklist\Word Doc Checklist\RCRA LQG CHECKLIST SUMMARY OF VIOLATIONS 07.02.2024.docx

11080 White Rock Road, Ste. 200 ● Rancho Cordova, CA 95670 ● Voice (8am – 5pm): 916/875-8550 ● FAX: 916/875-8513 ●

Internet Address: http://emd.saccounty.gov

RETURN TO COMPLIANCE STATEMENT

This <u>Return To Compliance Statement</u> must be returned to EMD within 19 days of your facility's inspection for Priority Corrective Action violations and within 35 days for all other violations (unless otherwise noted on the Official Inspection Report). Also include copies of any proof of compliance documents (e.g. photos, copies of manifests/disposal records or receipts, or other original paperwork).

1. I certify that the violations noted on the Official Inspection Report (and accompanying inspection checklists) have been corrected in the manner indicated below. 2. I have personally examined any attached documentation submitted as proof of compliance and I believe the information to be true, accurate and complete. 3. I am aware that there are significant penalties for submitting false information and/or for non-compliance with violations noted. 4. I declare under penalty of perjury that the foregoing certification is true and correct. Executed at: California Date: Facility Name: Facility ID# (FA): Signature: Printed Name:

SUMMARY OF VIOLATION COMPLIANCE ACTION											
Violation Code	Check Type of Evidence Submitted		Violation Code	Check Type of Evidence Submitted			Violation Code	Check Type of Evidence Submitted			
Code	Photo	Paperwork	Statement	Code	Photo	Paperwork	Statement	Code	Photo	Paperwork	Statement
3115				3130007				3130015			
3110001				3130009				3130016			
3110020				3130010				3130			
3110				3130024				3130			
3130018				3130025				3130037			
3110012				3130023				3130027			
3110011				3130011				3110			
3140				3110013				3110026			
3120001				3110014				3110027			
3110002				3110023				3110028			
3110003				3110015				3120002			
3110004				3130012				3130038			
3110005				3130019				3130039			
3110006				3150002				3130			
3110017				3140001				3130			
3130001				3130020				3130			
3130028				3130022				3110030			
3130002				3130026				3130040			
3130034				3110021				3130041			
3130035				3150004				3140003			
3130036				3150005				3130042			
3110008				3110018				3110			
3110009				3130029				3150006			
3110010				3130				3110029			
3110007				3130031				3110			
3110022				3130030				3115			
3130004				3130032				3120			
3110024				3110019				3125			
3130033				3150001				3130			
3110025				3140002				3135			
3130003				3150003				3140			
3130005				3150007				3145			
3130006				3130013				3150			
3130008				3130014				3155			

County of Sacramento ● Environmental Management Department ● Environmental Compliance Division

11080 White Rock Road, Ste. 200 ● Rancho Cordova, CA 95670 ● Voice (8am – 5pm): 916/875-8550 ● FAX: 916/875-8513 ● Internet Address: http://emd.saccounty.gov

RETURN TO COMPLIANCE STATEMENT

Corrective Action Statement:						

06/29/2023 GR W:\Data\FORMSARCHIVE\CUPA Current - HS GovTech Checklist\Word Doc Checklist\RCRA LQG CHECKLIST RETURN TO COMPLIANCE 06.29.2023.docx