INFECTION PREVENTION AND CONTROL PLAN (IPCP)

FACILITY NAME:		FACILITY ID:		
ADDRESS:	CITY:	STATE:	ZIP:	
OWNER'S NAME:		PHONE:		
CONTACT PERSON:		EMAIL:		
The owner, employees and pullifiection Prevention and Co		•	•	
occupational exposure to blo contamination between practition Body Art Act. This plan is effective as of (date	oners and clients. This plan	•		
contamination between practition Body Art Act.	oners and clients. This plan	•		

practitioners that operate in the facility. Training will be provided annually and whenever changes are made to this document or any practices. Changes must be immediately reflected in this document and resubmitted to the Sacramento County Environmental Management Department (EMD) for review.

IPCP training records must be available for inspection upon request and maintained on site for a period of **3** years.

Note: Each practitioner is required to have proof of annual Bloodborne Pathogen (BBP) certification and a current valid body art practitioner registration from an approved provider..

CHANGES TO IPCP

Date	Change	Page number

ANNUAL TRAINING LOG

I certify that I have reviewed the Infection Protection Control Plan training, which is required annually or when a change occurs.

Date	Name	Trainer	Notes/Comments
		Initials	

PROCEDURES FOR CLEANING AND DECONTAMINATING PROCEDURE CONTACT SURFACES

Describe how each workstation and procedure area will be cleaned and decontaminated:			
What EPA registered decontamination and disi	nfecting solutions will be used?		
1	Contact Time:		
2			
3	Contact Time:		
What surfaces and objects will be disinfected?			
Llow often will those curfoces and chicate he di	ainfactad?		
How often will these surfaces and objects be di	siniected?		

PROCEDURES FOR PROTECTING CLEAN INSTRUMENTS AND STERILE INSTRUMENT PACKS FROM EXPOSURE TO DUST AND MOISTURE DURING STORAGE

Where will sterilized packaged instruments be stored?
When evaluating sterilized equipment, what things are you looking for to ensure they are safe to use?
What will be done with a compromised sterilized package?
Are sterilization packages opened in front of the customer prior to the procedure? YES NO

A SET UP AND TEAR DOWN PROCEDURE FOR ANY FORM OF BODY ART PERFORMED AT THE FACILITY, PREVENTION OF CROSS CONTAMINATION

Wash and dry hands. Put on a clean apron, bib or lap pad over clean clothing. Put on any personal protective equipment that is appropriate for the task. Don clean, previously unused, disposable examination gloves on both hands just prior to the procedure. Gloves shall be worn throughout the procedure. If gloves come into contact with an object or surface other than the client's prepared skin or material to be used for the procedure, or if a glove is torn or punctured, both gloves shall be removed, hand hygiene performed, and new, clean, previously unused, disposable gloves shall be donned. If gloves are removed for any reason during a procedure, hand hygiene shall be performed prior to donning new, clean, previously unused, disposable examination gloves.

The practitioner shall wear disposable gloves on both hands when touching, decontaminating, or handling a surface, object, instrument, or jewelry that is soiled or that is potentially soiled with human blood.

Describe the set up and tear down procedure for each of the stations. Use additional pages if needed.

SET UP PROCEDURES	TEAR DOWN PROCEDURES

Describe the location of gloves available within your facility:
Describe the use of barrier film, dental wraps, absorbent pads, paper towels, aprons, bibs, and any film used in your facility prior to the performance of body art and describe what equipment is covered and with what type of barrier is used in each instance:
How will skin be prepared prior to the procedure? If skin at the procedure site is to be shaved, describe the solution used to prepare the skin, type of razor, and the method of razor disposal:
What solution or transfer agent is used to apply stencils or mark work sites? Tattoo/Permanent Make Up:
Piercing or Branding:
When covering a procedure site, a sterile dressing must be used. (Plastic wrap is NOT approved) What type of sterile dressing (s) are used?

What Personal Protective Equipment (PPE) is worn during body art procedures?			
PPE worn during washing of Equipment?			
PPE must be disposable or washed by a commercial laundry service.			
Proper handwashing is a key component to preventing cross-contamination. All sinks must be permanently plumbed and equipped with hot and cold running water, containerized liquid soap, and single-use paper towels that are dispensed from a wall-mounted, touchless dispenser that is accessible at all times to the practitioner.			
Describe the location of each handwashing sink in your facility:			
Describe when handwashing is required in your facility:			
Who is responsible for ensuring hand sinks are properly stocked?			
An instrument or reusable item that does <u>not</u> come in contact with non-intact skin or mucosal surfaces shall be washed with a solution of soap and water, using a brush that is small enough to clean the interior surfaces and decontaminate after each procedure. This washing will occur at the sink located at:			

PROCEDURES FOR SAFE HANDLING AND DISPOSAL OF SHARPS WASTE

The sharps waste container shall be labeled with the words "sharps waste" or with the international biohazard symbol and the word "BIOHAZARD".

Each procedure area shall have a container for the disposal of sharps waste. Sharps waste containers must be easily accessible to the practitioner.

Sharps waste shall be removed and disposed of by a waste hauler or removed and transported through a mail-back system authorized by the State Department of Public Health. Section 119314 (e)(3)(A)

What items are disposed of in the sharps container?
Location of each sharps container in your facility:
List the licensed Medical Waste Hauler or mail-back system used for the disposal of sharps containers:
Business Name:
Address:
City, State, Zip:
How often are sharps picked up by the disposal company?
Where are full sharp containers stored, prior to disposal in your facility?
What are the procedures for cleaning up an accidental spill?

FACILITY MANAGEMENT

Describe the cleaning procedures and frequency for each of these areas:

Customer waiting area:
Procedure areas:
Restroom:
Break room:
Decontamination and Sterilization Area:
When and where are animals allowed in your facility?
Trash receptacles and disposal of trash: List the location of receptacles, use of disposable liners, where liners are stored, and frequency of trash removal. What items will go into the trash receptacles?
Where will eating, drinking and smoking be allowed by employees and customers?

RECORDKEEPING

When disposable, single-use, pre-sterilized instruments are used, the following records must be maintained for a minimum of **90 days after use**.

1.	A record of purchase.					
	Where are these records maintained?					
2.	 Written proof on company or laboratory letterhe have undergone a sterilization process. Written sterilized by name or item number and shall ide run. 	proof shall clearly identify the instruments				
	This written proof will be maintained in the facili	This written proof will be maintained in the facility at:				
3.	·	Documentation must be kept of all procedures, the practitioner performing the procedure, client name, lot numbers of pre-sterilized instruments used, and date of procedure.				
	Where are these records maintained?					
to	All information gathered from the client that is pers to the federal Health Insurance Portability and Acc state laws shall be maintained or disposed of in co	countability Act of 1996 (HIPAA) or similar				
С	Consent and medical questionnaires will be stored	l at:				
Tł	The location of the first aid kit is:					
Tł	The location of the nearest healthcare (open 24 ho	ours) facility is:				
N	NAME:	PHONE:				
Δ	ADDRESS: CITY	Y· STATE· 7IP·				

ADDITIONAL INFORMATION

W:\Data\EH-PROGRAMS & PROJECTS\BODY ART\NEW LOCATION\INFECTION PREVENTION AND CONTROL PLAN 2023.doc